

DECLARATION OF PERFORMANCE No. DP 008

according to Annex III Construction Products Regulation (305/2011/ EU)
and Regulation (EU) No. 574/2014

For the construction product	Non-alloy steel tubes and fittings for the conveyance of aqueous liquids including water for human consumption
1. Unique identification code of the product-type:	L235 EN 10224:2003
2. Intended use for construction product:	For the conveyance of aqueous liquids including water for human consumption
3. Contact address of the manufacturer:	Železiarne Podbrezová a.s. Kolkáreň 35 976 81 Podbrezová Slovak Republic
4. Contact address of the authorised representative	Not relevant
5. Assessment systems and verification for constancy of performance	System 4
6. Harmonized specification :	EN 10224:2003, Annex ZA
Notified body :	Not relevant

7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Dimensions and shape	Tolerances acc. to EN 10224:2003 Article 7.6,7.7,7.8,7.9	EN 10224:2003
Mechanical properties: Tensile strength Rm (MPa) Yield point ReH (MPa) Elongation A (%)	min.360 min. 235 25	EN 10224:2003, tab.3
Welding property	Table 1	EN 10224:2003
Reaction to fire	Material is class A1	EN 10224:2003, Article 7.11

The performance of the product acc. to the declared performance.

This Declaration of Performance is issued under the sole responsibility of the manufacturer acc. to EU Regulation No. 305/2011 .

Signed for and on behalf of the manufacturer by:



.....
Ing. Jozef Turis
Head of Quality Department

Podbrezová : 27. 05. 2015

DECLARATION OF PERFORMANCE No. DP 009

according to Annex III Construction Products Regulation (305/2011/ EU)
and Regulation (EU) No. 574/2014

For the construction product	Non-alloy steel tubes and fittings for the conveyance of aqueous liquids including water for human consumption
1. Unique identification code of the product-type:	L275 EN 10224:2003
2. Intended use for construction product:	For the conveyance of aqueous liquids including water for human consumption
3. Contact address of the manufacturer:	Železiarne Podbrezová a.s. Kolkáreň 35 976 81 Podbrezová Slovak Republic
4. Contact address of the authorised representative	Not relevant
5. Assessment systems and verification for constancy of performance	System 4
6. Harmonized specification :	EN 10224:2003, Annex ZA
Notified body :	Not relevant

7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Dimensions and shape	Tolerances acc. to EN 10224:2003 Article 7.6,7.7,7.8,7.9	EN 10224:2003
Mechanical properties: Tensile strength Rm (MPa) Yield point ReH (MPa) Elongation A (%)	min. 430 min. 275 21	EN 10224:2003, tab.3
Welding property	Table 1	EN 10224:2003
Reaction to fire	Material is class A1	EN 10224:2003, Article 7.11

The performance of the product acc. to the declared performance.

This Declaration of Performance is issued under the sole responsibility of the manufacturer acc. to EU Regulation No. 305/2011 .

Signed for and on behalf of the manufacturer by:

Ing. Jozef Turis
Head of Quality Department

Podbrezová : 27. 05. 2015

DECLARATION OF PERFORMANCE No. DP 010

according to Annex III Construction Products Regulation (305/2011/ EU)
and Regulation (EU) No. 574/2014

For the construction product	Non-alloy steel tubes and fittings for the conveyance of aqueous liquids including water for human consumption
1. Unique identification code of the product-type:	L355 EN 10224:2003
2. Intended use for construction product:	For the conveyance of aqueous liquids including water for human consumption
3. Contact address of the manufacturer:	Železiarne Podbrezová a.s. Kolkáreň 35 976 81 Podbrezová Slovak Republic
4. Contact address of the authorised representative	Not relevant
5. Assessment systems and verification for constancy of performance	System 4
6. Harmonized specification :	EN 10224:2003, Annex ZA
Notified body :	Not relevant

7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Dimensions and shape	Tolerances acc. to EN 10224:2003 Article 7.6,7.7,7.8,7.9	EN 10224:2003
Mechanical properties: Tensile strength Rm (MPa) Yield point ReH (MPa) Elongation A (%)	min. 500 min. 355 21	EN 10224:2003, tab.3
Welding property	Table 1	EN 10224:2003
Reaction to fire	Material is class A1	EN 10224:2003, Article 7.11

The performance of the product acc. to the declared performance.

This Declaration of Performance is issued under the sole responsibility of the manufacturer acc. to EU Regulation No. 305/2011 .

Signed for and on behalf of the manufacturer by:



Ing. Jozef Turis
Head of Quality Department

Podbrezová : 27. 05. 2015